

## **UTILITIES**

### **419 LOCATION**

1) The builder will furnish all materials and labor except for the transformers and luminaires, which will be furnished and installed by the Taunton Municipal Light Plan, as per their decision of February 6, 1975.

2) All utility lines shall be shown in plan and profile in the Definitive Plan as required by Section 221 of these Rules and Regulations, Cable Television.

### **420 CONNECTIONS**

Connections for all utilities from the main structures to the exterior line of the way shall be constructed for each lot whether or not there is a building thereon.

### **421 EXTENSION OF UTILITIES**

Where adjacent property is not subdivided, or where all the property of the applicant is not being subdivided at the same time, provisions should be made for the extension of the utility system by continuing mains the full length of streets to be exterior limits of the subdivision at such grade and size which will, in the opinion of the planning board, permit their proper extension.

### **422 FIRE ALARM BOXES**

Wherever a connection to the City owned Fire Alarm circuit is feasible in the opinion of the Board, the Applicant shall install a fire alarm circuit within the subdivision including at least one fire alarm box for each one thousand (1,000) feet of street, or portion thereof. Material and location of boxes shall be directed by the Chief of the Fire Department.

### **423 CLEANING UP**

The entire area must be cleaned up so as to leave a neat and orderly appearance from debris and other objectionable materials.